

**TERMINALES AISLADAS EN VINILO MOLDEADO**  
**75°C 600 V NIVEL DE AISLAMIENTO**  
**CERTIFICACIONES UL - CSA**



**TERMINALES AISLADAS DE OJO O ARO**

DESCRIPCION	REF GESIS NORMA UL	REFERENCIA ESTANDAR
ROJO AWG 22-16, OJO 1/16 o 2,5mm	50010	VF125- 3
ROJO AWG 22-16, OJO 1/8 o 3,5mm	50020	VF125- 3,5
ROJO AWG 22-16, OJO 5/32 o 4 mm	50030	VF125-4
ROJO AWG 22-16, OJO 3/16 o 5 mm	50040	VF125-5
ROJO AWG 22-16, OJO 1/4 o 6 mm	50041	VF125-6
ROJO AWG 22-16, OJO 5/16 o 8 mm	50042	VF125-8
ROJO AWG 22-16, OJO 3/8 o 10 mm	50043	VF125-10
AZUL awg 14-16, OJO 1/16 o 2mm	50082	VF2-3
AZUL awg 14-16, OJO 1/8 o 3,5mm	50086	VF2-3,5
AZUL awg 14-16, OJO 5/32 o 4mm	50090	VF2-4
AZUL awg 14-16, OJO 3/16 o 5mm	50100	VF2-5
AZUL awg 14-16, OJO 1/4 o 6mm	50101	VF2-6
AZUL awg 14-16, OJO 5/16 o 8mm	50102	VF2-8
AZUL awg 14-16, OJO 3/8 o 10mm	50103	VF2-10
AZUL awg 14-16, OJO 1/2 o 12mm	50104	VF2-12
AMARILLO 10-12awg OJO 1/8 o 3,5mm	50210	VF5.5-3
AMARILLO 10-12awg OJO 5/32 o 4mm	50220	VF5.5-4
AMARILLO 10-12awg OJO 3/16 o 5mm	50230	VF5.5-5
AMARILLO 10-12awg OJO 1/4 o 6mm	50240	VF5.5-6
AMARILLO 10-12awg OJO 5/16 o 8mm	50245	VF5.5-8
AMARILLO 10-12awg OJO 3/8 o 10mm	50260	VF5.5-10
AMARILLO 10-12awg OJO 1/2 o 12mm	50233	VF5.5-10
OJO ROJA 8 AWG 1/4	RF8-6	RF8-6
OJO ROJA 8 AWG 5/16	RF8-8	RF8-8

**TERMINALES DE HORQUETA, U, o Uña**



	GESIS	REFERENCIA ESTANDAR
ROJA AWG 22-16, abertura 1/8 o 3,5mm	50055	VF125- 3Y
ROJA AWG 22-16, de 1/8 o 3,5mm	50050	VF125- 3,5Y
ROJA AWG 22-16, de 5/32 o 4mm	50060	VF125-4Y
ROJA AWG 22-16, de 3/16 o 5mm	50070	VF125-5Y
ROJA AWG 22-16, de 1/4 o 6mm	50080	VF125-6Y
AZUL awg 14-16, de 1/8 o 3,5mm LW	50140	VF2-3,5Y
AZUL awg 14-16, de 5/32 o 4mm LW	50150	VF2-4Y
AZUL awg 14-16, de 3/16 o 5mm	50160	VF2-5Y
AZUL awg 14-16, de 1/4 o 6mm	50165	VF2-6Y
AMARILLA awg 12/10, de 1/8 o 3,5mm	50270	VF5.5-3Y
AMARILLA awg 12/10, de 5/32 o 4mm	50280	VF5.5-4Y
AMARILLA awg 12/10, de 3/16 o 5mm	50290	VF5.5-5Y
AMARILLA awg 12/10, de 1/4 o 6mm	50234	VF5.5-6Y
ROJA 8 AWG 3/16	RF8-5Y	RF8-5Y
ROJA 8 AWG 1/4	RF8-6Y	RF8-6Y

**\* PIN , PUNTERA O PUNTA SOLIDA**



	REF.	GESIS	REFERENCIA ESTANDAR
ROJO 22-16		PTE1	PIN 1
AZUL 16-14		PTE2	PIN 2
AMARILLO 12-10		PTE5	PIN 5
ROJO CAL 8 AWG		PTE10	PIN 10
AZUL CAL 6 AWG		PTE16	PIN 16

**TERMINAL EMPALME - CONECTOR TUBULAR**



	REF.	GESIS	
ROJO AWG - 22 - 18		20080	BF1
AZUL AWG - 16 - 14		20170	BF2
AMARILLO AWG - 10 - 12		20310	BF5

**\* FASTON : MACHO(pala) Y HEMBRA**



	REF.	GESIS	
ROJO HEMBRA F1-6 18-22 awg 1/4		50176	VF1-6
ROJO MACHO M1-6 18-22 1/4		50177	VM1-6
AZUL HEMBRA F2-6 14-16 awg 1/4		50180	VF2-6
AZUL MACHO M2-6 14-16 awg 1/4		50181	VM2-6
AMARILLO HEMBRA F5-6 10-12 1/4		50187	VF5-6
AMARILLO MACHO M5-6 10-12 1/4		50186	VM5-6

**TOTALMENTE AISLADA EN NYLON (semitransparente)**



	REF.	GESIS	
HEMBRA ROJO FF1-6 18-22 1/4		20207	NF1-6
MACHO ROJO MF1-6 18-22 1/4		20206	NM1-6
HEMBRA AZUL FF2-6 14-16 1/4		20209	NF2-6
MACHO AZUL MF2-6 14-16 1/4		20208	NM2-6
HEMBRA AMARILLO FF5-6 10-12		20213	NF5-6
MACHO AMARILLO MF5-6 10-12		20212	NM5-6

**\* ENCHUFABLE TIPO BALA**



	REF.	GESIS	
ROJO HEMBRA 4MM DIAMETRO		20285	BH125-4
ROJO MACHO 4MM DIAMETRO		20284	BM125-4
AZUL HEMBRA 5MM		20485	BH2-5
AZUL MACHO 5MM		20484	BM2-5
AMARILLO HEMBRA 5MM		20384	BH5-5
AMARILLO MACHO 5MM		20385	BM5-5

**\* SEMIAISLADO DOBLE SERVICIO**



	REF.	GESIS	REFERENCIA ESTANDAR
AZUL 14-16		20662	DS1
ROJO 18-22		20663	DS2
AMARILLO 12-10		20664	DS5



**\* PIN HUECA, TUBULAR AISLADA O CANUTILLO AISL.**

	REF.	GESIS	REFERENCIA ESTANDAR
NARANJA AWG 24-22		10824	CE005008
BLANCA AWG 20		10820	CE007508
AMARILLA AWG 18		10818	CE010008
ROJO CEREZA AWG 18		10818FR	CE010008
ROJA AWG 16		10816	CE015008
NEGRA AWG 16		10816FR	CE015008
AZUL AWG 14		10814	CE025008
GRIS AWG 12		10812	CE040010
NEGRA AWG 10		10810	CE060012
BEIGE AWG 8		10808	CE100012
VERDE AWG 6		10806	CE160016
MARRON AWG 4		10804	CE250016
CAFÉ CLARA BEIGE AWG 2		10802	CE350018
VERDE OLIVA AWG 1/0		10800	CE500022



**\* PIN HUECA DOBLE TUBULAR AISLADA O CANUTILLO AISLADA**

	REF.	GESIS	REFERENCIA ESTANDAR
DOBLE BLANCA AWG 2X20		10820TWIN	CT007508
DOBLE AMARILLA AWG 2X18		10818TWIN	CT010008
DOBLE ROJA AWG 2X16		10816TWIN	CT015008
DOBLE AZUL AWG 2X14		10814TWIN	CT025010
DOBLE GRIS AWG 2X12		10812TWIN	CT040012
DOBLE NEGRA AWG 2X10		10810TWIN	CT060014
DOBLE BEIGE AWG 2X8		10808TWIN	CT100014
DOBLE VERDE AWG 2X6		10806TWIN	CT160016

**\* PIN HUECA CANUTILLO SIN AISLAR**



	<b>REF.</b>	<b>GESIS</b>	
AWG 18		S4403	
AWG 16		S4404	
AWG 14		S4405	
AWG 12		S4406	
AWG 10		S4407	

**EMPALME - CONECTOR DE RESORTE**



	<b>REF.</b>	<b>GESIS</b>	
GRIS 22-16		20501	
AZUL 22-14 AWG		20502	
NARANJA 16-14 AWG		20503	
AMARILLO 18-12 AWG		20504	
ROJO 18-10 AWG		20506	
GRIS GRANDE 14-8 AWG		20588	
AZUL GRANDE 12-6 AWG		20589	

**\* CONECTOR FINAL DE PONCHAR EN NYLON / SEMITRASPARENTE**



FINAL DE PONCHAR 22-16 AWG		20569		CE -1
FINAL DE PONCHAR 14-16AWG		20570		CE -2

**\* CONECTOR AUTODESFORRE**



	<b>REF.</b>	<b>GESIS</b>	
TKW3 ROJO 18-22		20510	SC1
TKW4 AZUL 14-16		20500	SC2
TKW5 AMARILLO 14-16		20511	SC5

**REGLETAS EN NYLON**



	<b>REF.</b>	<b>GESIS</b>	
REGLETA NYLON 12PARES 14 AWG		TB10	PA 10
REGLETA NYLON 12PARES 12 AWG		TB12	PA 12
REGLETA NYLON 12PARES 10 AWG		TB14	PA 14

**BASES ATORNILLABLES**



	<b>REF.</b>	<b>GESIS</b>	<i>HOMOLOGADA</i>
BASE ATORNILLABLE 3/16		TMS310C	PANDUIT